

SPRINTER 180Si

STICK WELDER



Shown:
Sprinter 180Si, K5453-1

PORTABLE. VERSATILE. POWERFUL.

The Sprinter™ 180Si stick welder gives you power in a small package. Weighing in under 20 lbs., it is lightweight and portable, and the 180 amp output enables you to weld electrodes up to 5/32 inches, including 7018 and 6010. This machine is more than just a stick welder. The Sprinter 180Si welder combines superior stick capabilities with high-frequency TIG, pulsed TIG mode, amptrol compatibility and dual input voltage (120V/230V). A simple display allows you to dial in the weld settings so you can get started quickly and easily on any job, anywhere – maintenance work, fabrication, light structural and everything in between. The Sprinter 180Si is a stick welder and so much more.

Processes »

DC Stick, DC TIG

Applications »

Light Duty Fabrication, Maintenance, Farm, Auto Body, Aerospace, Light structural, Shipbuilding

Output »



Input »



Product Numbers »

K5453-1 Sprinter™ 180Si

K5600-1 Sprinter 180Si Case One-Pak®

K5584-1 Sprinter 180Si TIG One-Pak


K5585-1 Sprinter 180Si Case and TIG One-Pak

VALUE-ADDED FEATURES

- **Two Stick Modes** - Dedicated E6010 and E7108 weld modes allow for greater welding versatility and superior performance
- **High Frequency Start** - Strike a precise arc every time while TIG welding
- **Pulsed TIG Mode** - Provides heat management and enhanced control when making thin, precise welds
- **Dual Input** - Run the Sprinter 180Si welder off 120V or 230V depending on the job

KEY CONTROLS

1. Carry Handle
2. Seven Segment Display
3. Weld Selection
4. Duty Cycle Thermal Overheat Exceeded Indicator
5. Voltage Reduction Device Indicator
6. Pulse Mode On/Off Button
7. Amperage Adjustment Knob
8. Twist Mate™ Receptacles
9. 8-Pin TIG Foot Pedal Receptacle



INNOVATIVE USER INTERFACE

1. Amperage
2. Weld Selection
3. Status Indicators
4. Pulse Mode Selection (TIG Only)



ADVANCED OPTIONS



Stick mode for Crisp Arc on cellulosic electrodes such as 6010/6011/6013.



Stick Mode for Soft Arc on electrodes such as 7018.



Voltage Output indicator.



Hi Frequency TIG Mode for use with start button or foot pedal.



Select Hz rate for Pulsed TIG when welding thin materials or achieving a cleaner weld appearance.



Lift TIG Mode for lift start TIG welding.

TIG PERFORMANCE

Pulsed TIG

Use pulsed TIG welding to help minimize burn through on thin materials. It can help to increase travel speed and result in smaller bead width. Lower heat input may lessen warpage of parts, especially stainless steel materials.

TIG pulse can be turned on or off in the advanced options menu. The Pulsed TIG feature has a single knob control which sets the pulse frequency over the range of 0.1 to 100 pulses per second. The pulse setting automatically regulates the output current between the peak amperage set by the amptrol (if used) and the background amperage, which is equal to 50% of the peak. The peak pulse % on-time is fixed at 50%.

RECOMMENDED ACCESSORIES



Machine Carrying Case

Water resistant, lockable case designed with enough space to store the Sprinter 180Si welder and all of the TIG One-Pak accessories.

Order K5549-1



Gas Regulator with Hose.

Compensated flowmeter regulator shielding gas kit for use with Argon (Ar).

Order 3100211



Welding Cart

Designed to store and transport a welder, gas cylinder, cables and accessories.

Order K2275-1



Caliber® 17 Series TIG Torch Ready Pak® - Flexible

Premium Caliber TIG Torch with a 150A 60% Duty Cycle.

Order K5339-17F-1



Foot Pedal

Pedal for TIG Welding

Order K4361-1



Cut Length Consumables

TIG welding filler metals are available for welding stainless steel, mild steel and copper alloys.

Request Lincoln Publication C1.10 for more information.



Caliber® 17/18/26 Series TIG Torch Expendables Kit - 1/16"-1/8"

Includes all of the front end parts needed to run a Gas Lens setup on 17/18/26 Series TIG Torches.

Order KP4760-HD

PACKAGES AVAILABLE



K5453-1 Sprinter™ 180Si Base Model

- Sprinter 180Si welder
- Insulated Electrode Holder and Cable
- Heavy Duty Work Clamp and Cable
- 230V to 120V Power Cord Adapter



K5600-1 Sprinter 180Si Case One-Pak includes everything in K5453-1 Sprinter 180Si Stick Welder base model and:

- Case (K5549-1)



K5584-1 Sprinter 180Si TIG One-Pak includes everything in K5453-1 Sprinter 180Si Stick Welder base model and:

- Caliber 17 Series TIG Torch (K5339-17F-1)
- Parts Kit for 17 series Tig Torch (KP4760-HD)
- Foot Pedal (K4361-1)
- Adjustable Gas Regulator and Hose (3100211)
- TIG Torch Adapter (K1622-7)



K5585-1 Sprinter 180Si Case and TIG One-Pak with case includes everything in K5584-1 Sprinter 180Si TIG One-Pak and:

- Case (K5549-1)

PRODUCT SPECIFICATIONS

Product Name	Product Number	Input Power	Rated Output Current/Voltage/ Duty Cycle	Input Current @ Rated Output	Output Range	Open Circuit Voltage (OCV)	Dimensions H x W x D in (mm)	Net Weight lb (kg)
Sprinter 180Si	K5453-1	120/230/1/60	110A/14.6V/40% TIG	120VAC: 20A	10-110A DC TIG	Average OCV - 65V	11.8 x 6.25 x 16 (299.7 x 158.8 x 406.4)	20 (9.1)
Sprinter 180Si TIG One-Pak	K5584-1		85A/23.2V/40% STICK	230VAC: 30A	20-85A STICK	Peak OCV - 110V		
Sprinter 180Si Case One-Pak	K5600-1		200A/16.4V/25% TIG		10-200A DC TIG	VRD OCV (Peak) - 14V		
Sprinter 180Si Case and TIG One-Pak	K5585-1		180A/26.4V/25% STICK		20-180A STICK			

For best welding results with Lincoln Electric® equipment, always use Lincoln Electric consumables. Visit www.lincolnelectric.com for more details.

CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, automated welding systems, consumables, and cutting equipment. Our challenge is to meet the needs of our customers, who are experts in their fields, and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or technical information about their use of our products. Our employees respond to inquiries to the best of their ability based on information and specifications provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment, or to provide engineering advice in relation to a specific situation. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or communications. Moreover, the provision of such information or technical information does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or technical information, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose or any other equivalent or similar warranty is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the definition of specifications, and the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

The Lincoln Electric Company
22801 St. Clair Avenue · Cleveland, OH · 44117 · U.S.A.
www.lincolnelectric.com