

INTRODUCING VIKING[™] White Tail Camo[™] Welding Helmet with 4C[™] Technology

Lincoln Electric's White Tail Camo™ welding helmet features the new, one-of-a-kind 4C[™] Lens Technology that delivers maximum clarity, real color view and even shade from every angle. Now you can see everything, even if no one can see you. Get on the hunt for the ultimate weld and bring home a trophy today!

4C™ Lens Technology : The Best View

- · Clarity 1/1/1/1 Optical Clarity
- Color Real Color View
- Carat Lightweight
- Cut Even shade from any angle

Optimal Performance

- Fastest Switching Speed
- Increased battery life
- Largest viewing area
- View low AMP TIG without flickering

Comfort on the Job

- · Tilt adjustment meets the specific ergonomic needs of the user
- Pivot-style headgear distributes weight evenly
- Balanced for all-day use

VIKING™ PRODUCT SPECIFICATIONS

| Product Name | Part Number | Lens Switching Speed (sec) | Variable Shade/ Control | Magnifying "Cheater" Capable Lens | Grind Mode Shade/ Control | Light Sensitivity Control | Delay Control Dark to Light (sec) | | TIG Amp Rating | Cartridge Size in. (mm) | View Size in. (mm) | Temperature Range | Weight oz. (g) | Warranty |
|------------------------------------|----------------|----------------------------------|-------------------------------|---|---------------------------------|---------------------------------|---|---|--------------------------|-------------------------------|--------------------------|---|-------------------|----------|
| White Tail Camo 3350 (Shown) | K4412-3 | 1/25,000 | 5-13 Internal | Yes | 3.5 / Internal | Continuous | 0.1 - 1.0 Fully Adjustable | 4 | DC > 2 Amp AC > 2 Amp | US 5.25 x 4.50 (133 x 114) | 3.74 x 3.34 (95 x 85) | Operating: -10ºC - +55ºC (14ºF - 131ºF) Storage: | 21 (595) | 3 Years |
| White Tail Camo 2450 | K4411-3 | | | | | | | | DC > 3 Amp AC > 5 Amp | | 3.82 x 2.44 [97 x 62] | -20ºC - +70ºC (-4ºF - 158ºF) | | |

