
# **MyLincoln Education Checklist**





# >> Purchasing is as easy as

1, 2, 3











1 CREATE AN ONLINE ACCOUNT: https://www.lincolnelectric.com/ en/Education/Sign-Up 2 LOG IN - Education users receive exclusive pricing when ordering online.

Lincoln Electric will ship the order directly to your school. Free Standard Shipping of orders over \$500.

**MyLincoln Education Portal** offers qualified teaching facilities† (schools, job corps, unions, and correction facilities) FREE educational resources and education-only pricing on welding program supplies. **Questions? Call: 888.610.1095** 

Start saving! Register today:

www.LincolnElectric.com/EducationPortal





<sup>†</sup> A Qualified Teaching Facility is a facility that teaches welding (including schools, job corps programs, unions, and correction facilities). This excludes manufacturing customers with in-house welding programs. All products are intended for education purposes. Participating educational institutions may not resell to any third party.

# Login to MyLincoln Education Portal for Special Pricing, Products and more!



### Personal Protection Gear (Welding Helmets, Welding Apparel and More) Examples:

Series



2450 ADV

Series



#### RED LINE™ WELDING JACKETS

Series





#### CAPS & DOO RAGS







# Login to MyLincoln Education Portal for Special Pricing, Products and more!



#### Welding Tools (Brushes, Magnetic Fixtures and More) Examples:





#### **Welding Guns and Torches Examples:**







#### Gun and Torch Expendable Parts (Contact Tips, Nozzles and More) Examples:

MAGNUM® PRO CONTACT TIPS



MAGNUM® PRO DRIVE ROLLS



MAGNUM® PRO CABLE LINERS



### **MyLincoln Education Portal:** Electrode Details



Part Number	Product	Diameter (in)	Package	AWS Class	Checklist
SMAW					
ED010283	Fleetweld® 5P+	3/32	50E0	E6010	
ED010278	Fleetweld® 5P+	1/8	50E0	E6010	
ED010285	Fleetweld® 5P+	5/32	50E0	E6010	
ED028152	Fleetweld® 35	3/32	50E0	E6011	
ED028153	Fleetweld® 35	1/8	50E0	E6011	
ED028154	Fleetweld® 35	5/32	50EO	E6011	
ED010161	Fleetweld® 37	3/32	50EO	E6013	
ED010153	Fleetweld® 37	1/8	50EO	E6013	
ED010165	Fleetweld® 37	5/32	50EO	E6013	
ED028280	Excalibur° 7018 MR°	3/32	50EO	E7018 H4R	
ED028281	Excalibur° 7018 MR°	1/8	50EO	E7018 H4R	
ED028282	Excalibur° 7018 MR°	5/32	50EO	E7018 H4R	
ED040000	IronArc™ 7018 MR°	3/32	50E0	E7018 H4R	
ED040001	IronArc <sup>™</sup> 7018 MR°	1/8	50E0	E7018 H4R	
ED040001	IronArc™ 7018 MR°	5/32	50E0	E7018 H4R	
ED010362	Jetweld*1	1/8	50CT	E7024-1	
ED010302	Jetweld*1	5/32	50CT	E7024-1	
ED032636	Excalibur® 7028	5/32	50E0	E7028 H8	
ED032790	Excalibur® 7028	3/16	50E0	E7028 H8	
	Excurred 7020	3/10	3020	27020110	
FCAW	Lille Come 2 74 A 75 Donal	0.045	2250	Frat of the frat off the	
ED031669	UltraCore® 71A75 Dual	0.045	33FS	E71T-9C-H8, E71T-9M-H8	
ED031670	UltraCore® 71A75 Dual	0.052	33FS	E71T-9C-H8, E71T-9M-H8	
ED031671	UltraCore® 71A75 Dual	1/16	33FS	E71T-9C-H8, E71T-9M-H8	
ED031663	UltraCore® 71A85	0.045	33FS	E71T-9M-H8	
ED031664	UltraCore® 71A85	0.052	33FS	E71T-9M-H8	
ED031665	UltraCore® 71A85	1/16	33FS	E71T-9M-H8	
ED030637	Innershield® NR®-211-MP	0.035	25SS	E71T-11	
ED030638	Innershield® NR®-211-MP	0.045	25SS	E71T-11	
ED030645	Innershield® NR®-211-MP	5/64	25SS	E71T-11	
ED030643	Innershield® NR®-232	0.068	25SS	E71T-8-H16	
ED030644	Innershield® NR®-232	0.072	25SS	E71T-8-H16	
ED030647	Innershield® NR®-232	5/64	25SS	E71T-8-H16	
ED031576	Innershield® NR®-233	1/16	25SP	E71T-8-H8	
ED031030	Innershield® NR®-233	0.072	25SP	E71T-8-H8	
ED033024	Innershield® NR®-233	5/64	25SP	E71T-8-H8	
ED034185	Innershield® NR®-305	5/64	25SS	E70T-6-H16	
ED030971	Innershield® NR®-305	3/32	25SP	E70T-6-H16	
GMAW					
ED015790	SuperArc® L-56®	0.025	12.5SP	ER70S-6	
ED023334	SuperArc® L-56®	0.030	12.5SP	ER70S-6	
ED028676	SuperArc® L-56®	0.035	12.5SP	ER70S-6	
ED032927	SuperArc® L-56®	0.035	33SP	ER70S-6	
ED032928	SuperArc® L-56®	0.045	33SP	ER70S-6	
GTAW					
ED034329	Lincoln® ER70S-2	3/32	30CT (10TB)	ER70S-2	
ED034330	Lincoln® ER70S-2	1/8	30CT (10TB)	ER70S-2	
ED034338	Lincoln® ER70S-6	3/32	30CT (10TB)	ER70S-6	
ED034339	Lincoln® ER70S-6	1/8	30CT (10TB)	ER70S-6	

All consumables listed in the Welding Consumables Catalog (C1.10) are available at discount pricing for Education facilities. Login to MyLincoln for your exclusive pricing.

# **MyLincoln Education Portal:** Gear



Part Number	Description	
K4416-M	Standard Welding Gear Ready-Pak® - Medium	
K4416-L	Standard Welding Gear Ready-Pak® - Large	
K4416-XL	Standard Welding Gear Ready-Pak® - XLarge	
K4416-2XL	Standard Welding Gear Ready-Pak® - 2XLarge	
K4590-M	Introductory Education Gear Ready-Pak® - Medium	
K4590-L	Introductory Education Gear Ready-Pak® - Large	
K4590-XL	Introductory Education Gear Ready-Pak® - XLarge	
K4590-2XL	Introductory Education Gear Ready-Pak® - 2XLarge	
K4595-M	Intermediate Education Gear Ready-Pak® - Medium	
K4595-L	Intermediate Education Gear Ready-Pak® - Large	
K4595-XL	Intermediate Education Gear Ready-Pak® - XLarge	
K4595-2XL	Intermediate Education Gear Ready-Pak® - 2XLarge	
K3699-M	Industrial Welding Gear Ready-Pak® - Medium	
K3699-L	Industrial Welding Gear Ready-Pak® - Large	
K3699-XL	Industrial Welding Gear Ready-Pak® - XLarge	
K3699-2XL	Industrial Welding Gear Ready-Pak® - 2XLarge	
K3715-M	Premium Welding Gear Ready-Pak® - Medium	
K3715-L	Premium Welding Gear Ready-Pak® - Large	
K3715-XL	Premium Welding Gear Ready-Pak® - XL	
K3715-2XL	Premium Welding Gear Ready-Pak® - 2XL	
K3715-3XL	Premium Welding Gear Ready-Pak® - 3XL	
K3238-XS	Women's Welding Gear Ready-Pak® - XSmall	
K3238-S	Women's Welding Gear Ready-Pak® - Small	
K3238-M	Women's Welding Gear Ready-Pak® - Medium	
K3238-L	Women's Welding Gear Ready-Pak® - Large	
K3238-XL	Women's Welding Gear Ready-Pak® - XLarge	

OTHER ACCESSORIES & TOOLS			
Part Number	Description		
K3740-1	Welders All-In-One Backpack		
K3096-1	Lincoln® Industrial Duffle Bag		
K3750-1	Omnishield™ Professional Face Shield - Standard		
KP3755-1	Replacement Omnishield™ Lens - Standard		
K3104-1	Traditional Lincoln® Clear Safety Glasses		
K2967-1	Lincoln® Starlite® IR 5 Indoor Safety Glasses		
KP3729-1	Helmet Bib - Split Leather		
K3203-ALL	All American® Welding Cap (Min. Order QTY = 12)		
K4818-XL	FR Welding Cap - Black & Red - XL (Min. Order QTY = 12)		
K4818-L	FR Welding Cap - Black & Red - Large (Min. Order QTY = 12)		
K3111-ALL	Welding Sleeves - Split Leather & FR Cotton		
K4014-1	Radius® Welding Pliers		
K4022-1	Chipping Hammer		
K3184-1	3 x 19 Carbon Steel Wire Brush (Min. Order QTY = 12)		
K5154-1	Industrial 200 Amp Electrode Holder		
K5155-1	Industrial 250 Amp Electrode Holder		
K4656-R	Flame Retardant Vinyl Welding Curtain 6ft x 6ft Red		
K4656-G	Flame Retardant Vinyl Welding Curtain 6ft x 6ft Dark Green		
K4658-R	Flame Retardant Vinyl Welding Curtain 6ft x 8ft Red		
K4658-G	Flame Retardant Vinyl Welding Curtain 6ft x 8ft Dark Green		
K4654-1-8	Expandable Welding Curtain Frame		

HELMETS	
Part Number	Description
K3371-1	VIKING™ Industrial Passive™ Black Welding Helmet
K3282-3	VIKING™ 1740 Black Welding Helmet
K3495-3	VIKING™ 1740 ReCode™ Welding Helmet
K3028-5	VIKING™ 2450 ADV Black Welding Helmet
K3034-4	VIKING™ 3350 Black Welding Helmet

GLOVES			
Part Number	Description		
K2979-ALL	Traditional MIG/Stick Welding Gloves (Min. Order QTY = 12)		
K2981-M	Leather TIG Welding Gloves - Medium		
K2981-L	Leather TIG Welding Gloves - Large		
K2981-XL	Leather TIG Welding Gloves - XLarge		
K3806-M	DynaMIG™ HD MIG/Stick/TIG Welding Gloves - Medium		
K3806-L	DynaMIG™ HD MIG/Stick/TIG Welding Gloves - Large		
K3806-XL	DynaMIG™ HD MIG/Stick/TIG Welding Gloves - XL		
K4082-M	Heavy Duty MIG/Stick Welding Gloves - Medium		
K4082-L	Heavy Duty MIG/Stick Welding Gloves - Large		
K4082-XL	Heavy Duty MIG/Stick Welding Gloves - XLarge		
K3232-M	Women's MIG Stick Welding Gloves - Medium		

JACKETS		
Part Number	Description	
K2985-M	Traditional FR Cloth Welding Jacket - Medium	
K2985-L	Traditional FR Cloth Welding Jacket - Large	
K2985-XL	Traditional FR Cloth Welding Jacket - XLarge	
K2985-XXL	Traditional FR Cloth Welding Jacket - 2XLarge	
K2985-XXXL	Traditional FR Cloth Welding Jacket - 3XLarge	
K3106-M	Traditional Split Leather-Sleeved Jacket - Medium	
K3106-L	Traditional Split Leather-Sleeved Jacket - Large	
K3106-XL	Traditional Split Leather-Sleeved Jacket - XLarge	
K3106-2XL	Traditional Split Leather-Sleeved Jacket - 2XLarge	
K3106-3XL	Traditional Split Leather-Sleeved Jacket - 3XLarge	
K3114-XS	Women's Shadow FR Welding Jacket - XSmall	
K3114-S	Women's Shadow FR Welding Jacket - Small	
K3114-M	Women's Shadow FR Welding Jacket - Medium	
K3114-L	Women's Shadow FR Welding Jacket - Large	
K3114-XL	Women's Shadow FR Welding Jacket - XLarge	

RESPIRATORY	
Part Number	Description
K4683-S	XLR P100 Half Mask Respirator - Small
K4683-M	XLR P100 Half Mask Respirator - Medium
K4683-L	XLR P100 Half Mask Respirator - Large
KP4684-2	XLR Replacement P100 Filter Cartridges

## **MyLincoln Education Portal:** Guns & Torches



WELDING GUNS			
Part Number	Description		
K4528-1	Magnum® PRO 100L (4-Pin)		
K4529-1	Magnum® PRO 175L		
K2950-2-10-45	Magnum® PRO Curve™ 200, 15 ft, K466-10 Backend		
K4530-2	Magnum® PRO 250L		
K2951-1	Magnum® PRO Curve™ 300, 10 ft		
K2951-2-10-45	Magnum® PRO Curve™ 300, 15 ft, K466-10 Backend		
K2951-2-6-45	Magnum® PRO Curve™ 300, 15 ft, K466-6 Backend		
K4532-2-10-45 Magnum® PRO Curve™ HDE™ 350 15 ft, K466-10 Backend			
K4532-2-6-45	Magnum® PRO Curve™ HDE™ 350 15 ft, K466-6 Backend		
K2952-2-10-45	Magnum® PRO Curve™ 400, 15 ft, K466-10 Backend		
K126-12	K126® PRO Innershield® 350A, FCAW-SS 15 ft		

350A GUN EXPENDABLES			
Part Number	Description		
KP2742-1-38F	Magnum® PRO 350A Nozzle, Flush, 3/8 in ID		
KP2742-1-50F	Magnum® PRO 350A Nozzle, Flush, 1/2 in ID		
KP2742-1-50S	Magnum® PRO 350A Nozzle, Stickout, 1/2 in ID		
KP2742-1-38R	Magnum® PRO 350A Nozzle, Recessed, 3/8 in ID		
KP2742-1-50R	Magnum® PRO 350A Nozzle, Recessed, 1/2 in ID		
KP2742-1-62R	Magnum® PRO 350A Nozzle, Recessed, 5/8 in ID		
KP2744-025	Magnum® PRO Copper Plus® 350A Contact Tips, .025 in		
KP2744-025T	Magnum® PRO 350A Contact Tips, Tapered, .025 in		
KP2744-030	Magnum® PRO Copper Plus® 350A Contact Tips, .030 in		
KP2744-030T	Magnum® PRO Copper Plus® 350A Contact Tips, Tapered, .030 in		
KP2744-035	Magnum® PRO Copper Plus® 350A Contact Tips, .035 in		
KP2744-035T	Magnum® PRO Copper Plus® 350A Contact Tips, Tapered, .035 in		
KP2744-045	Magnum® PRO Copper Plus® 350A Contact Tips, .045 in		
KP2744-045T	Magnum® PRO Copper Plus® 350A Contact Tips, Tapered, .045 in		
KP2746-1	Magnum® PRO 350A Diffuser, Thread-On		
KP2773-2	Magnum® PRO 350A Insulator		
KP44-3545-15	Magnum® PRO Liner, .035 in045 in		

TIG TORCHES		
Part Number	Description	
K1782-1	PTA-17 TIG Torch, 12.5 ft., 1 Piece	
K1782-12	PTA-17 TIG Torch, Ultra-Flex™ Cable, 12.5 ft., 1 Piece	
K1782-13	PTA-17FV TIG Torch, Ultra-Flex™ Cable Head and Valve, 12.5 ft., 1 Piece	
K4844-9F-1	Caliber® 9 Series TIG Torch - Flexible, 12.5 ft	
K4841-17F-1	Caliber® 17 Series TIG Torch - Flexible, 12.5 ft	
K1782-6	PTA-17V TIG Torch, Valve, 12.5 ft., 1 Piece	
K1784-3	PTW-20 TIG Torch, 12.5 ft., 3 Piece	

550A GUN EXPENDABLES			
Part Number Description			
KP2743-1-62R	Magnum® PRO 550A Gas Nozzle, Recessed, 5/8 in ID		
KP2743-1-75R	Magnum® PRO 550A Gas Nozzle, Recessed, 3/4 in ID		
KP2745-035	Magnum® PRO Copper Plus® 550A Contact Tips, .035 in		
KP2745-035T	Magnum® PRO Copper Plus® 550A Contact Tips, Tapered, .035 in		
KP2745-045	Magnum® PRO Copper Plus® 550A Contact Tips, .045 in		
KP2745-045T	Magnum® PRO Copper Plus® 550A Contact Tips, Tapered, .045 in		
KP2745-052	Magnum® PRO Copper Plus® 550A Contact Tips, .052 in		
KP2745-052T	Magnum® PRO Copper Plus® 550A Contact Tips, Tapered, .052 in		
KP2747-1	Magnum® PRO 550A Diffuser, Thread-On		
KP2773-1	Magnum® PRO 550A Insulator		
KP44-116-15	Magnum® PRO Liner, .052 in-1/16 in		

# **MyLincoln Education Portal:** Harris® Products Group



HARRIS® IRONWORKER® CLASSIC - ALL FUEL CUTTING KITS				
Part Number	Description	Inlet Connection	Usage	
4400367	Ironworker® Classic Deluxe HHD Outfit - CGA 510	CGA 540 & CGA 510	Medium to Heavy Duty	
4400370	Ironworker® Classic Deluxe HHD Outfit - CGA 300	CGA 540 & CGA 300	Medium to Heavy Duty	

V SERIES - ALL FUEL CUTTING KITS (COMPATIBLE WITH VICTOR® PARTS)				
Part Number	Description Inlet Connection Usage			
4400372	Ironworker® V Series Deluxe VMD Outfit - CGA 510	CGA 540 & CGA 510	Medium Duty	
4400373	Ironworker® V Series Deluxe VHD Outfit - CGA 510	CGA 540 & CGA 510	Heavy Duty	

PORT-A-TORCH® PORTABLE ACETYLENE CUTTING KITS				
Part Number	Description Inlet Connection Usage			
4403211	Classic Port-A-Torch® Deluxe Kit w/ 2 Cylinders	CGA 540 & CGA 200B	Medium Duty	
4403213	Classic Port-A-Torch® Standard Kit without Cylinders	CGA 540 & CGA 200B	Medium Duty	

OXYGEN CYLINDER REGULATORS			
Part Number	Description	Delivery Pressure Range (PSIG)	Inlet Connection
3002194	Model 801 - Oxygen Regulator - Medium Duty	0 - 125	CGA 540
3000510	Model 25GX - Oxygen Regulator - Med/Heavy Duty	0 - 145	CGA 540

ACETYLENE CYLINDER REGULATORS			
Part Number	Description	Delivery Pressure Range (PSIG)	Inlet Connection
3002193	Model 801 - Acetylene Regulator - Medium Duty	0 - 15	CGA 510
3000380	Model 25GX - Acetylene Regulator - Med/Heavy Duty	0 - 15	CGA 510
3000350	Model 25GX - Acetylene Regulator - Med/Heavy Duty	0 - 15	CGA 300

ARGON, HELIUM, NITROGEN CYLINDER REGULATORS			
Part Number	Description	Delivery Pressure Range (PSIG)	Inlet Connection
3000540	Model 25GX - Ar, He, N2 Regulator - Med/Heavy Duty	0 - 145	CGA 580
3000806	Model 25GX - Ar, He, N2 Regulator - Med/Heavy Duty	0 - 200	CGA 580

LIQUID PROPANE GAS (LPG) CYLINDER REGULATORS			
Part Number	Description	Delivery Pressure Range (PSIG)	Inlet Connection
3000450	Model 25GX - LPG Regulator - Med/Heavy Duty	0 - 50	CGA 510P

FLOWMETER AND REGULATOR			
Part Number Description Gas Type Inlet Connection			
3100200	Model 355-2 - Pressure Compensated Flowmeter	Argon or CO2	CGA 580
3100211	Model 355-2 - Pressure Compensated Flowmeter w/ 10' Hose	Argon or CO2	CGA 580

### MyLincoln Education Portal: Harris® Products Group



STRAIGHT CUTTING TORCHES			
Part Number	Description	Fuel Compatibility	Head Angle & Length
1003440	Model 62-5EL Heavy Duty Cutting Torch	All Fuel Gases	90°, 21 in Length
1003470	Model 62-5FL Heavy Duty Cutting Torch	Alternative Fuel Only	90°, 21 in Length
1001204	Model 42-4E Medium Duty Cutting Torch	All Fuel Gases	90°, 20 in Length

CUTTING TIPS			
Part Number	Description	Depth of Cut	Fuel Compatibility
1500840	Model 6290 - Single Piece Cutting Tip	5/8 in - 1 in	Acetylene
1500850	Model 6290 - Single Piece Cutting Tip	1 in - 2 in	Acetylene
1501230	Model 6290NX - Two Piece Cutting Tip	5/8 in - 1 in	Alternative Fuel Only
1501240	Model 6290NX - Two Piece Cutting Tip	1 in - 2 in	Alternative Fuel Only

V SERIES - CUTTING TIPS (COMPATIBLE WITH VICTOR® TORCHES)			
Part Number	Description	Depth of Cut	Fuel Compatibility
1502091	Model V1-101 - Single Piece Cutting Tip	5/8 in - 1 in	Acetylene
1502092	Model V1-101 - Single Piece Cutting Tip	1 in - 2 in	Acetylene
1502083	Model V3-101 - Single Piece Cutting Tip	5/8 in - 1 in	Acetylene
1502084	Model V3-101 - Single Piece Cutting Tip	1 in - 2 in	Acetylene

QUICK DISCONNECTS			
Part Number	Description	Туре	Gas Type
4301653	Quick Connectors - 26-QCR (R&L) (Pair)	Regulator Outlet	Fuel & Oxygen
4301654	Quick Connectors - 26-QCT (R&L) (Pair)	Torch Type	Fuel & Oxygen
4301613	Quick Connectors - IQC M-F	Regulator to Hose	Inert
4301614	Quick Connectors - IQC F-M	Hose to Machine	Inert

FLASHBACK ARRESTORS			
Part Number	Description	Туре	Connection
4301651	Model 88-5FBR (R&L) Flashback Arrestors (Pair)	Regulator Type	9/16 in-18 CGA "B"
4302202	Model 88-5FBT (R&L) Flashback Arrestors (Pair)	Torch Type	9/16 in-18 CGA "B"

HOSE			
Part Number	Description	Compatible Gases	Connection
4300533	1/4 in x 20 ft Twin Hose - T Grade	All Gases	9/16 in-18 CGA "B"
4300530	1/4 in x 50 ft Twin hose - R Grade	Acetylene Only	9/16 in-18 CGA "B"

For best welding results with Lincoln Electric\* equipment, always use Lincoln Electric consumables. Visit www.lincolnelectric.com for more details.

#### CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, automated welding systems, consumables, and cutting equipment. Our challenge is to meet the needs of our customers, who are experts in their fields, and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or technical information about their use of our products. Our employees respond to inquiries to the best of their ability based on information and specifications provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment, or to provide engineering advice in relation to a specific situation. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or communications. Moreover, the provision of such information or technical inform

Lincoln Electric is a responsive manufacturer, but the definition of specifications, and the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

The Lincoln Electric Company
22801 St. Clair Avenue · Cleveland, OH · 44117-1199 · U.S.A.
www.lincolnelectric.com