
WELDYCAR PORTABLE BATTERY POWERED CARRIAGES For MIG/MAG Welding in all Positions





BOOST YOUR PRODUCTIVITY


Portable Welding Carriages, Battery Powered

Applications













Benefits

- Consistent Weld Quality
- Increase Productivity
- Comfort for Operators
- Reduces Fatigue

- Easy to Implement
- Independent Operation
- Portable Battery Powered
- Low Investment







Positions


















Carriage Equipment Package

- Guide Rollers
- Control Panel
- Manual Adjustment Slide (2x)
- 18V Li-ion Battery
- Adjustable Torch Collar
- 230V Battery Charger
- Current Detector



PRO Control

- Arc Detection Management for Automatic Motion
- Power Source Trigger Control
- Start/stop Timer and Crater Management
- Welding Distance Management
- Discontinuous Welding and Repetition Mode
- Battery Power display
- Measurement Unit Options
- Language Options








PA Flat	With guiding rail		With guiding rail
PB Fillet			
PC Cornice	With guiding rail		
PF Vertical up (butt)	With guiding rail & linear oscillator	With linear oscillator	
PF Vertical up (fillet)	With pendular oscillator	h pendular oscillator With pendular oscillator	
Motion and Guide	4 wheels drive + crabbing arms		4 wheels drive + guide rollers
Magnetic Attraction	28Kg & clutch release	Flexible connectable rail	15Kg
Mini Shell Diameter (mm)	OD 2000 or ID 3000	OD 1000 or ID 1200	-
Speed (cm/min)	1to	15 to 150	
Maximun Load (kg)		2	
Supply	18V Li-lo	9.6V Ni-Mh battery	
Autonomy	20h and 5h v	5h	
Control Panel	PI	RO	Basic On/Off
Arc Detection & Trigger Control	Υ	es	No









Optimal Adapted Possible

08/2024 - Graphic design: PLDB Création (14971) - Pictures: ©Lincoln Electric

PURCHASING

	WELDYCAR	WELDYRAIL	WELDYPOCKET
quipped Carriage (IP43) Battery and Charger Included	AS-PM-T0550200	AS-PM-T0550100	W000274909
perating Temperature		-5°C to +50°C	
Veight	9kg	8kg	5kg
Dimensions (L x W x H)	365x260x310mm	345x220x265mm	240x140x220 mm
ain options:			
Magnetic Rail for 2G 1500mm	AS-PP-T0550207	-	-
Suspension Arms for 2G	AS-PP-T0550208	-	-
Magnetic Rail 1500mm	-	AS-PP-T0550107	-
Pneumatic Rail 1500mm	-	AS-PP-T0550115	-
3 Pendular Oscillator	W000315474		-
4 Linear Oscillator + Monting Kit	W000276068 + AS-PP-T0550105		-
Aluminum Wheels Kit	W000401721	-	-
Angular Torch Support	AS-PP-T0550201		-
Additional Battery	AS-PP-T0550100		W000275069

CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to inquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineer ingrequirements for the particular weldment. Accordingly, Lincoln Electric does not warrantor guaranteeor assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of fitness for any customers' particular purpose is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but these lection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

Subject to Change — This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectriceurope.com for any updated information.



