

# LINCOLN ELECTRIC MAGNUM® PRO

SEMI-AUTOMATIC GUNS



| Product Name            | Magnum® PRO L-Series  | Magnum® PRO Curve™                                    | Magnum® PRO Barrel  | Magnum® PRO Curve™ HDE™  | Magnum® PRO Barrel HDE™  |
|-------------------------|---|---|---|--|--|
| Part Numbers            | K4528-1, K4529-1, K4530-2   | K2950-X, K2951-X, K2952-X                             | K2651-X, K2652-X, K2653-X, K2655-X                                  | K4531-X, K4532-X, K4533-X, K4534-X   | K4856-X, K4857-X, K4858-X  |
| CO2 Duty Cycle          | 100%  | 60%   | 100%  | 100%   | 100%   |
| Mixed Gas Duty Cycle    | 100%  | 50-40%  | 80%   | 100%   | 100%   |
| Amperage Range          | 100-250 A   | 200-400 A   | 250-550 A   | 250-550A   | 250-450A   |
| Wire Diameter Range     | .025 in - .045 in<br>[0.6– 1.2 mm]                                      | .025 in – 5/64 in<br>[0.6– 2.0 mm]                    | .035 in – 1/8 in<br>[0.9– 3.2 mm]                                   | .025 in – 1/8 in<br>[0.6– 3.2 mm]  | .025 - 1/8 in<br>[0.6-3.2 mm]  |
| Handle Type             | Curve   | Curve   | Barrel  | Curve  | Barrel   |
| Handle Dimensions       | Length: 6 in<br>Diameter: 1 in  | Length: 6 in<br>Diameter: 1.5 in                      | Length: 9 in<br>Diameter: 1.7 in                                    | Length: 6.8 in - 7.3 in<br>Diameter: 1 in - 1.6 in                             | Length: 8.3 - 8.6 in<br>Diameter: 1.2 - 1.35 in                        |
| Lengths Available       | 10ft<br>15ft  | 10ft 15ft<br>20ft 25ft                                | 10ft 15ft<br>20ft 25ft  | 10ft 15ft<br>20ft 25ft   | 10ft 15ft<br>20ft 25ft   |
| Over Molded Grip        | ✓   | —   | —   | ✓  | ✓  |
| Rotatable Gun Tube      | —   | Allen Wrench  | Allen Wrench  | Tool-Less  | Tool-Less  |
| Strain Relief           | —   | ✓   | ✓   | ✓  | ✓  |
| Magnum® PRO Expendables | ✓   | ✓   | ✓   | ✓  | ✓  |
| Target Industry         | Home, Farm, Small Shop Projects, Auto Body Work, Maintenance and Repair | Shop Production, Maintenance and Repair, Construction | Industrial Fabrication, Heavy Equipment, Shipbuilding, Construction | Heavy Fabrication, General Fabrication, Pipe, Structural, Automotive/Transport | Heavy Fabrication, General Fabrication, Pipe, Structural, Shipbuilding |

#### CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, automated welding systems, consumables, and cutting equipment. Our challenge is to meet the needs of our customers, who are experts in their fields, and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or technical information about their use of our products. Our employees respond to inquiries to the best of their ability based on information and specifications provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment, or to provide engineering advice in relation to a specific situation. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or communications. Moreover, the provision of such information or technical information does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or technical information, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose or any other equivalent or similar warranty is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the definition of specifications, and the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.