
# **VRTEX® 360+ DUAL USER**

# VIRTUAL REALITY WELDING SIMULATOR





Snown:
K4602-1
Dual stands allow for
training two welders at a time on
one machine. The VRTEX® 360+
Dual comes with two stands, two
sets of coupons and two sets of
welding guns.

# **EXPERIENCE WELDING TRAINING ON A WHOLE NEW LEVEL**

Lincoln Electric's VRTEX® 360+ Dual User virtual reality arc welding trainers simulate welding for hands-on training for two students at a time on one machine. These VR trainers provide a cutting-edge solution for cultivating welding talent quickly and resourcefully. From superior graphics creating the most realistic and responsive welding puddles available to exceptionally accurate sounds and movements, what can be learned virtually with VRTEX® training systems seamlessly transfers into real-world, hands-on welding training.

- Improves efficiency by accelerating students' progress and reducing the time required to up-skill, ultimately boosting student confidence quickly
- Reduces costs by eliminating the use of consumables, metal coupons, gas and electricity
- · Increases safety with no metal, sparks, heat, gas or fumes
- · Allows for more practice which creates efficiency and a quicker route

#### What's Included (Two of each) »

- 22" Custom Touchscreen Monitor
- · VR Headset
- · VR Welding Devices
  - GMAW / FCAW MIG wire welding gun
  - SMAW Retractable stick stinger
  - GTAW TIG torch and filler with adaptive foot pedal
- 7 different Welding Coupons
- VRTEX® 360 Welding Stand for welding positions 0, 45-90
- Curriculum on a USB:
  - K3205-1 First Edition SMAW Welding Training Curriculum
  - K3206-1 First Edition GMAW/FCAW
     Welding Training Curriculum
  - K4057-1 VRTEX Project Based Lesson 1 Student Workbook
  - K4057-2 VRTEX Project Based Lesson 1 Instructor Guide
- Welding Procedure Specification Book for proper machine set up



# **KEY FEATURES**

- Realistic puddle and actual welding sound helps welder learn to respond and adjust welding technique
- Simulates sparks, slag, grinding and weld cooling
- Welding discontinuities appear in weld and scoring when improper welding technique is used
- Virtual bend tests provide results instantly and reveal what caused a weld to pass or fail
- Replicates proper machine set-up using a
  Welding Procedure Specification. Students must
  enter the proper material type, process, gas
  flow and amperage / voltage / wire-feed speed
  with the ability for the instructor to change
  tolerances.
- Tracks and scores key weld parameters including work angle, travel angle, travel speed, contact tip to work distance, aim and position
- Provides demos of successful welds
- The Weldometer<sup>™</sup> tracks virtual consumables, base material and gas usage to assist with calculating the cost savings of VR training
- Replay mode helps instructors and welders identify what went wrong or well
- Coupons can be viewed and rotated during welding to check for proper angles. The Instructor-view enables the virtual weld to be rotated and viewed for evaluation.
- Bypass Mode allows the user to quickly demonstrate a weld with or without WPS setup.
- Built-in curriculum with Lesson Mode includes Welding Standards, Safety, Measurement and Principles of Welding

### **PRODUCT FEATURES**

#### Simulated Processes

GMAW - Short Arc

GMAW - Axial Spray

GMAW - Pulse

FCAW – Gas-Shielded

FCAW - Self-Shielded

SMAW - E6013

SMAW - E7018

SMAW - E6010

GTAW with Filler Metal

GTAW without Filler Metal

#### **Positions**

2F/PB, 3F/PF, 4F/PD, 5F/PH (Pipe on plate), 1G/PA, 2G/PC, 3G/PF, 4G/PE, 5G/PH/PJ, 6G/H-L045/J-L045

#### Technique

Push, Drag, Straight Stringer, Weave and Whip

### Joint Configurations/Coupons

Flat Plate Coupon

Tee Joint Coupon

Lap Joint Coupon

6" Diameter Pipe Coupon

2" Diameter Pipe Coupon

3" Pipe on 6 mm Plate Coupon

V-Groove Joint Coupon

#### Simulated Materials

Mild Steel, Stainless Steel and Aluminum

#### Languages

Available in 15 different languages: English, French, Spanish, German, Russian, Portuguese, Polish, Japanese, Chinese, Turkish, Finnish, Italian, Korean, Swedish and Norwegian

For more information on the benefits of the VRTEX® Virtual Training Platform, see document MC22-34.

# JOINTS/POSITIONS

		Apply to Welding Procedure				
Type	Description	MMA SMAW	GMAW MAG/MIG	FCAW GAS/SS	GTAW TIG	
Groove	Plate V-Butt	X	X	Х		
	Pipe V-Butt	X	X	Х		
Groove Positions	Plate – PA-1G, PC-2G, PF/PG-3G, PE-4G	Χ	X	Х		
	Pipe — PC-2G, PH/PJ-5G, H-L045/J-L045-6G	Χ	X	Х		
Fillet	T-Plate	Χ	X	Х	Х	
	Pipe on Plate T-Angle	Χ	X	Х		
Fillet Weld Positions	T-Plate — PB-2F, PF/PG-3F, PD-4F	Χ	X	Х	(PB-2F)	
Include	Pipe on Plate — PB-2F, PD-4F, PH/PJ-5F	Х	Х	Х		
Lap	ap Plate Overlapped		Х		Х	
Lap Positions Include	sitions Include PB-2F (SMAW, GMAW, GTAW), PF/PG-3F (SMAW, GMAW), PD-4f (SMAW 6010)		Х		(PB-2F)	
Plate	PA-Flat	Χ	X	Х	Х	

# **BASE MATERIALS**

		Apply to Welding Procedure			
Туре	Description	MMA SMAW	GMAW MAG/MIG	FCAW GAS/SS	GTAW TIG
Type of Material	Carbon Steel	Х	X	Х	Х
	Stainless Steel		X		Х
	Aluminum		X		Х
Material Thicknesses	3 mm – 10 GA	X	X		Х
	6 mm – 1/4 in.	X	X	Х	
	10 mm – 3/8 in.	Х	X	X	
	Schedule 40 and 80 Pipe	Х	X	Х	(PB-2F)

# **FILLER MATERIALS**

		Apply to Welding Procedure				
Type	Description	MMA SMAW	GMAW MAG/MIG	FCAW GAS/SS	GTAW TIG	
Stick Electrodes	Low Hydrogen E7018 – 2.4 mm – 3/32 in.	X				
	Low Hydrogen E7018 – 3.2 mm – 1/8 in.	X				
	Rutile E6013 – 3.2 mm – 1/8 in.	X				
	Celulosic E6010 – 3.2 mm – 1/8 in.	X				
Mild Steel Solid Wire	ER70S-6 – 0.9 mm – 0.035 in.		X			
	ER70S-6 – 1.2 mm – 0.045 ln.		Х			
	ER70S-6 – 1.4 mm – 0.052 in.		X			
Flux-Cored Wire	E7IT-1 - 1.2 mm — 0.045 in.			Х		
	E7IT-8 – 2.0 mm – 5/64 in.			Х		
Stainless Steel Solid Wire	Stainless Steel Solid Wire ER308LSI – 1.2 mm – 0.045 in.		Х			
Aluminum Solid Wire ER4043 – 1.2 mm – 3/64 in.			Х			

# **FILLER RODS**

			Apply to Welding Procedure			
Туре	Description	MMA SMAW	GMAW MAG/MIG	FCAW GAS/SS	GTAW TIG	
Carbon Steel	ER70S-6 – 1.6 mm – 1/16 in.				Х	
Stainless Steel	Stainless Steel ER308L – 1.6 mm – 1/16 in.				X	
Aluminum	ER4043 – 2.4 mm – 3/32 in.				Х	
TIG (GTAW) Tungsten Electrode	Pure Tungsten				X	
	Thoriated Tungsten				Х	

### **POWER SOURCE FEATURES**

		Apply to Welding Procedure				
Туре	Description	MMA SMAW	GMAW MAG/MIG	FCAW GAS/SS	GTAW TIG	
ower Source Settings	AC	X			Х	
	DC +/ DC – (Polarity)	Х	X	Х	Х	
	Voltage		(V/Trim)	Х		
	Amperage	Х			Х	
	Wire Feed Speed		X	Х		
	Pulse		X		Х	
Arc Striking Modes	Scratching – Lift Arc	Х			Х	
	High Frequency				Х	
Shielding Gases	CO2		X			
	Argon-CO2		X	X		
	Argon		X		Х	

# **ANALYSIS AND DIASGNOSTIC**

		Apply to Welding Procedure			
Туре	Description	MMA SMAW	GMAW MAG/MIG	FCAW GAS/SS	GTAW TIG
Live Action Student Evaluation Report		X	Х	X	Х
Demo		Х	Х	X	Х
Replay		X	Х	Х	Х
Virtual Bend Test (Mild Steel, Grooved and 150 mm Pipe)		Х	Х	Х	

# RECOMMENDED ACCESSORIES



# Oxy-Fuel Cutting Software and Hardware Kit

This unique feature enables students to also experience cutting in a virtual environment. Every aspect of the oxy-fuel cutting feature is designed to address real-world cutting applications — from setting up the torch to executing the cut. The VRTEX 360+ Dual User requires two Oxy-Fuel kits.

Order K4485-1

# **PRODUCT NUMBERS**



· K4602-1, VRTEX 360+ Dual User Virtual Reality Welding Training Simulator on a Pallet



K4602-3, VRTEX 360+ Dual
 User Virtual Reality Welding
 Training Simulator in Crate

#### **TECHNICAL SPECIFICATIONS**

Product	Part Number	Specification	Input	Description	Dimensions in (cm)	Weight lbs (kg)							
VRTEX® 360+	K4602-1	Power Supply	1 phase	115-230 VAC	Machine	Machine Weight:							
Dual User K4602-3	Processor		Intel® Core i7	<b>Dimensions:</b> 28" H x 20" W x 34" D	150 lbs. 68 kgs.								
	Chipset	(50/60 Hz)	Intel® Q370 Chipset										
		RAM	<u> </u>	4GB DDR4-1600	(711 mm H x 508 mm W x 864 mm D) Stand Dimensions	Stand Weight (2 stands): 210 lbs.							
		Graphics Card		NVIDIA® GeForce GTX-1050Ti									
		Hard Disk		Solid State, 120 GB SSV NVMe, SATA 2.5 in.									
		Audio		Realtek® ALC888, High Definition Audio									
	Operating System		Windows® 10 Pro	(each):	96 kgs.								
		Display Size	] [	22 in.	80" H x 39" W x 47" D	5							
	Display Resolution	1	HD LCD 1920x1080	(2032 mm H x 991 mm W x 1194 mm D)									
		Port for External Display/Projector		HDMI	- W X 1194 111111 DJ								
		Vision Module Resolution		UltraSharp® Headset Resolution, 2160x2160 Per Eye									
		Operating Temperature				1	-	1	1	-	0-45 Degrees Celsius		
	Humidity				10-80%								
	Remote Maintenance/Upgrades	1.5				Yes							
		Regulations				CE, CSA, RCM, EAC							
		Certifications		ISO 9001, ISO 14001									

For best welding results with Lincoln Electric\* equipment, always use Lincoln Electric consumables. Visit www.lincolnelectric.com for more details.

#### CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, automated welding systems, consumables, and cutting equipment. Our challenge is to meet the needs of our customers, who are experts in their fields, and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or technical information about their use of our products. Our employees respond to inquiries to the best of their ability based on information and specifications. Dravided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment, or to provide engineering advice in relation to a specific situation. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or communications. Moreover, the provision of such information or technical information does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or technical information, including any implied warranty that might arise from the information or technical i