

EQUIPMENT SELECTION GUIDE

2025



www.lincolnelectric.eu

LINCOLN[®]
ELECTRIC

MIG/MAG PROCESS

COMPACT

STEEL · STAINLESS · ALUMINIUM · HARDFACING

230V



SG2
 $\varnothing \leq 1,0 \text{ mm}$
 0,6 to 6 mm



MULTI PROCESS INVERTER

SPEEDTEC 180C

K14098-1

200A@25%



MULTI PROCESS INVERTER

SPEEDTEC 200C

K14099-1

200A@25%



115/230V



MULTI PROCESS INVERTER

SPEEDTEC 215C

K14146-1

200A@25%



115/230V

400V



SG2
 $\varnothing \leq 1,2 \text{ mm}$
 0,8 to 6 mm



MIG INVERTER

QUICKMIG 250

K14379-1

250A@35%



MIG INVERTER



QUICKMIG 300

K14380-1

300A@35%



Item code for power source only



MIG/MAG PROCESS

COMPACT

STEEL · STAINLESS · ALUMINIUM · HARDFACING

400V



Solid wire $\varnothing \leq 1,2 \text{ mm}$ Cored wire $\varnothing \leq 1,2 \text{ mm}$ 0,8 to 10 mm		MIG INVERTER POWERTEC i250C (Standard / Advanced) K14284-2 / K14285-2 250A@60% SYN* SYNERGIC SETTINGS
		MIG INVERTER POWERTEC i320C (Standard / Advanced) K14286-2 / K14287-2 320A@40% SYN* SYNERGIC SETTINGS
		MIG INVERTER POWERTEC i380C Advanced (air/water) K14288-2/K14288-3 380A@40% SYN SYNERGIC SETTINGS
		MIG INVERTER POWERTEC i450C Advanced (air/water) K14289-2/K14289-3 450A@80% SYN SYNERGIC SETTINGS
		INVERTER MULTIPROCESS PULSE SPEEDTEC 320CP / 320CP PUSH PULL K14168-1 / K14168-2 320A@40% S&P SYNERGIC & PULSE

Item code for power source only
 * Advanced version only



2 driven rolls



4 driven rolls



Torch included



Water cooling capability

MIG/MAG PROCESS

SEPARATE WIRE FEEDER

STEEL · STAINLESS · ALUMINIUM · HARDFACING

400V



Solid wire
 $\varnothing \leq 1,2 \text{ mm}$
 0,8 to 12 mm



MIG INVERTER

POWERTEC i350S

K14183-1

350A@50%



Solid wire
 $\varnothing \leq 1,6 \text{ mm}$
 Cored wire
 $\varnothing \leq 1,6 \text{ mm}$
 0,8 to 25 mm



MIG INVERTER

POWERTEC i420S

K14184-1

420A@100%



MIG INVERTER

POWERTEC i500S

K14185-1

500A@60%



Solid wire
 $\varnothing \leq 1,6 \text{ mm}$
 Cored wire
 $\varnothing \leq 1,6 \text{ mm}$
 0,8 to 25 mm



MULTI PROCESS INVERTER & PULSE

SPEEDTEC 400SP

K14258-1

420A@100%



MULTI PROCESS INVERTER & PULSE

SPEEDTEC 500SP

K14259-1

500A@60%



Available cable length : 3 m - 5 m - 10 m - 15 m - 20 m - 30 m
 Item code for power source only



2 driven rolls



4 driven rolls




Torch included



Water cooling capability

TIG PROCESS

STEEL · STAINLESS



Item code for power source only



Water cooling capability



Power Factor Correction

TIG PROCESS

ALUMINIUM · STEEL · STAINLESS



Item code for power source only

* 1 pass



Water cooling capability



Power Factor Correction

STICK PROCESS

STEEL · STAINLESS · CAST IRON · ALUMINIUM · HARDFACING



Item code for power source only



PLASMA CUTTING

ALUMINIUM · STEEL · STAINLESS

230V 			INTERNAL COMPRESSOR OR EXTERNAL AIR	TOMAHAWK 30K	K12038-3	30A@60%
			  			
			EXTERNAL AIR SUPPLY REQUIRED	TOMAHAWK 45	K14391-1	45A@45%
			    			
400V 			EXTERNAL AIR SUPPLY REQUIRED	TOMAHAWK 1025	K12048-1	60A@40%
			   			
			EXTERNAL AIR SUPPLY REQUIRED	TOMAHAWK 1538	K12039-1	100A@40%
			   			

*Recommended cutting thickness
Reference of generators with plasma torch included

CUSTOMER ASSISTANCE POLICY

The business of The Lincoln Electric Company® is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to enquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

Subject to Change – This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectric.eu for any updated information.



www.lincolnelectric.eu

