POWERTEC LINCOLN **ELECTRIC** www.lincolnelectric.eu

POWERTEC® i380C

POWERTEC® i380C ADVANCED is inverter based compact welder for MIG/MAG and MMA welding with colour screen & synergic. Powertec i380C ADVANCED has water cooling capacity by simply adding the new COOL ARC 26.

→ DESIGNED BY WELDERS, FOR WELDERS

POWERTEC® i is designed with attention to details



Gun Holder: always at hand, ready to work



Storage Compartment: keep your workstation organized

COOL ARC® 26: (option) higher current welding with water-cooled Mig gun, greater flexibility

K14182-1










Large TFT Colour Screen: good visibility from distance



Rubber Bumpers: protect the feet of the welder



Quick Water Connection: easy to connect





Low Gas Cylinder **Shelf**: easy install of gas bottle



> INNOVATIVE INTUITIVE INTERFACE

Simple navigation also when using welding gloves.

- > Easy setting by selecting process & material thickness
- Visualisation of useful information (ARCFX™ joint configuration, welding defects...)
- > Multi-language navigation menu

Intuitive navigation




7"color display!

Easy Process Selection



Instructions on the screen



MORE FUNCTIONS & FEATURES



AUTO-SETTINGS

Preset parameters to increase productivity



USB CONNECTIVITY

Easy software update & diagnostics, weld log for quality monitoring



COOLARC CONNECTIVITY

Cooler fully controlled by power source: AUTO/ON/OFF for better energy savings and extended service life

> PERFECT FEEDABILITY



Optimized wire positioning: improved arc stability & reduced gun vibration



4 rolls/ all driven:

- eliminates wire slipping
- no wire deformation



Inspection window: easier notification for spool change



LED lights: better visibility

> BUILT FOR THE HEAVIEST INDUSTRIAL CONDITIONS

Developed and tested under the hardest conditions (TRUE HD) to grant the reliability you need.















PREMIUM ARC PERFORMANCE

ARC INITIATION

Repeatable arc ignition with outstanding arc characteristics.

ARC STABILITY

Excellent arc stability, ensuring a smooth droplet transfer, with reduced spatter.

ARC DYNAMICS

Rapid parameter adjustment allowing variability under welding conditions.



> TECHNICAL SPECIFICATIONS

POWERTEC® i380C can be used both for **MIG & STICK** welding of steel, stainless steel, aluminium and MIG brazing applications.



	POWERTEC® i380C ADVANCED	
Welding processes	MIG & FCW welding Stick welding	
Setting	auto/manual	
Welding parameters	large colour screen	
Synergic modes	28 preset	
JOB Mode / A-B	✓	
ARCFX™	✓	
Language selection	√	
Memory function	✓	
USB connection	✓	
Coolarc connection	✓	

POWER SOURCE		POWERTEC®i380C ADVANCED
Main power supply		3 x 400 V (±15%) 50/60Hz
Max. primary consumption (A)		26.0 A
Efficiency at max current		88%
Idle Power (W)		< 25 W
Power factor at max current		0.92
Duty cycle (@ 40 °C) @ 40% @ 60% @ 100%		380 A 320 A 240 A
Current range max		10 A / 380 A
Dimensions (LxWxH)		900 x 560 x 870 mm
Weight		69.2 kg
To order	POWERTEC® i380C ADVANCED	K14180-1
	COOLARC®26	K14182-1

> READY FOR TOMORROW

The new European regulation for Welding Equipment will soon be implemented and will require a phase out of conventional equipment.


The new **POWERTEC®** i family complies with this regulation by having a minimum power source efficiency of 85% & an idle consumption which is below the new tolerated limit.

Depending on your application, welding parameters & duty cycle,

you can save up **3.700 kWh*** (~480 €) per year and per equipment.

* 350A, 2 shifts a day with 30% operator factor

BUY NOW,
BE READY FOR
TOMORROW AND
START SAVING
TODAY



BEING PRESENT LOCALLY

MAKES US MORE AWARE GLOBALLY



CUSTOMER ASSISTANCE POLICY

The business of The Lincoln Electric Company® is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to inquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose is specifically disclaimed.

Lincoln Electric is a responsive manufacturer, but the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements.

Subject to Change – This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectric.com for any updated information.



