



NOTES:
 N.A. SINCE COMPONENTS OR CIRCUITRY ON A PRINTED CIRCUIT BOARD MAY CHANGE WITHOUT AFFECTING THE INTERCHANGEABILITY OF A COMPLETE BOARD, THIS DIAGRAM MAY NOT SHOW THE EXACT COMPONENTS OR CIRCUITRY OF CONTROLS HAVING A COMMON CODE NUMBER.
 N.B. CR2 - GLP RESET SWITCH (ACTUATED BY GROUND CURRENT).

PROPRIETARY & CONFIDENTIAL - THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OWNED BY LINCOLN GLOBAL, INC. AND MAY NOT BE DUPLICATED, COMMUNICATED OR DISCLOSED TO OTHER PARTIES WITHOUT THE EXPRESS WRITTEN PERMISSION OF LINCOLN GLOBAL, INC.

MANUFACTURING TOLERANCE PER E246E UNLESS OTHERWISE SPECIFIED TOLERANCE: ON 2 PLACE DECIMALS IS ± 0.2 mm (± 0.01 mm) ON ALL ANGLES IS ± 0.5 OF A DEGREE MATERIAL TOLERANCE (1) TO AGREE WITH PUBLISHED STANDARDS.	CONTROL: CLEVELAND SCALE: NONE IF PRINTED @ A1 SIZE UNITS: INCH	EQUIPMENT TYPE: LN-7 & LN-7 GMA SUBJECT: CONTROL SCHEMATIC MATERIAL DISPOSITION: NA APPROVAL DATE: 10/24/1990	PROJECT NUMBER: 6-5-98C REFERENCE:	DOCUMENT NUMBER: G3009 PAGE 1 OF 1	DOCUMENT REVISION: A
---	---	--	---------------------------------------	---------------------------------------	----------------------

BN70