POWER MIG[®] 211i

MIG WELDER



SOLID, DEPENDABLE WELDING

The POWER MIG[®] 211i MIG welder is a straightforward and dependable machine that's ideal for MIG and flux-cored welding. This reliable diehard is your best friend on the farm, in the small shop, or for maintenance and repair work. The seven-segment display with basic knob controls and a simple three-step setup process gets you welding quickly – and when it's time to move, the sleek case with multiple lift points make it extremely portable. If you're looking for an incredibly simple, reliable MIG welder that won't break the bank, the POWER MIG 211i MIG welder is ready to go to work for you.

Processes » MIG, Flux-Cored

Applications »

Metal Fabrication, Maintenance and Repair, Autobody/Farm, Light Industrial

POWER MIG 211i, K6080-1





Shown

Product Numbers »

POWER MIG 211i **K6080-1**



VALUE-ADDED FEATURES

- Simple User Interface Seven-segment display with basic knob controls.
- Process Capabilities MIG, Flux-Cored and Spool Gun.
- **Dual Input Voltage** 120V and 230V inputs so you can plug into any common power supply.
- Ergonomic Case Sleek and robust case design with multiple lift points for ease of mobility around the shop.
- Robust and Reliable Wire Drive Ensures proper and consistent feeding for optimal welding experience.
- Lightweight and Portable Only 41 lbs.

KEY CONTROLS

- 1. Ergonomic Front Handle
- 2. User Interface
- 3. Twist Mate[™] Receptacles
- 4. On/Off Switch
- 5. Angled Gun Connection For Improved Feedability
- 6. 4-Pin MIG Gun Adapter



SIMPLE USER INTERFACE

- 1. Seven-Segment Display
- 2. Voltage
- 3. Diameter
- 4. Process
- 5. Wire Feed Speed
- 6. Material Thickness



MAGNUM[®] PRO 100L WELDING GUN

The over-molded handle design offers key benefits to the operator:

- Increased Comfort
- Enhanced Grip
- Reduced Hand Fatigue
- Improved Control



WHAT'S INCLUDED

	Base Unit (K6080-1)
Magnum [®] PRO 100L Gun, 10 ft (3.0 m)	•
120V to 230V Power Cord Adapter	•
Work Cable and Clamp	•
Adjustable Gas Regulator and Hose	•
Gun Cable Liner (pre-installed in gun)	•
Spindle Adapter	•
Sample 2 lb (1 kg) 0.030 Spool of SuperArc [®] L-56 [®] Mild Steel MIG Wire	•
0.030 in (0.8 mm) Contact Tip (Installed)	•
0.030-0.035 in (0.8 - 0.9 mm) Drive Roll (Installed)	•
0.025 - 0.035 in (0.6 - 0.9 mm) Wire Guide (Installed)	•



RECOMMENDED ACCESSORIES



Utility Cart Heavy duty

Heavy duty cart stores and transports welder, 150 cubic foot shielding gas cylinder, welding cables and accessories. Includes stable platforms for welder and gas bottle platform, lower tray for added storage capacity and adjustable height handle. **Order K520**



Small Canvas Cover

Protect your welder when not in use. Made from attractive red canvas that is flame retardant, mildew resistant and water repellent. Includes a convenient side pocket to hold your welding torch or gun. **Order K2377-1**



Hi ac b b

Magnum® PRO 1005G Spool Gun Designed to easily feed 4 in. (102 mm) diameter 1 lb. (0.45 kg) spools of .030 in. (0.8 mm) or .035 in. (0.9 mm) diameter SuperGlaze® aluminum MIG wire. Includes gun, adapter kit, .035 in. (0.9 mm) contact tips (qty. 3), gas nozzle, and a 1 lb. (0.45 kg) spool of SuperGlaze® 4043 .035 in. (0.9 mm) MIG wire. Packaged in a convenient carrying case. Drder K3269-1

Welding Table and Workbench Heavy-duty steel welding accessory features a 21 x 44 in. (533 x 1,117 mm) work surface with strategically located 16mm holes for clamps and squaring blocks, along with multiple slots for cutting and clamping. Order K5334-1



Welding Fume Extractors

Lincoln offers a wide variety of welding fume extraction environmental system solutions, ranging from portable systems easily wheeled around the shop to shop-wide central systems servicing many dedicated welding stations. **Request Publication E13.40**

PRODUCT SPECIFICATIONS

Product Name	Product Number	Input Power	Rated Output Current/Voltage/ Duty Cycle	Effective Input Current @Rated Output	Output Range	Dimensions H x W x D in (mm)	Net Weight Ib(kg)
POWER MIG 211i	K6080-1	120/230/1/60	175A/22.75V/30%	120VAC: 15 AC 230VAC: 15 AC	120V: 20-140 Amps DC 230V: 20-211 Amps DC Max OCV: 76V	15.5 x 10.75 x 22 (394 x 273 x 558)	41 (18.6)

For best welding results with Lincoln Electric* equipment, always use Lincoln Electric consumables. Visit www.lincolnelectric.com for more details.

CUSTOMER ASSISTANCE POLICY

The business of Lincoln Electric is manufacturing and selling high quality welding equipment, automated welding systems, consumables, and cutting equipment. Our challenge is to meet the needs of our customers, who are experts in their fields, and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or technical information about their use of our products. Our employees respond to inquiries to the best of their ability based on information and specifications provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment, or to provide engineering advice in relation to a specific situation. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or cechnical information or technical information on our products. Any express or implied warranty that might arise from the information including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose or any other equivalent or similar warranty is specifically disclaimed. Lincoln Electric is a responsibility of the customer. Many variables beyond the control of, and remains the sole responsibility of the customer.

The Lincoln Electric Company 22801 St. Clair Avenue • Cleveland, OH • 44117-1199 • U.S.A.

www.lincolnelectric.com